

## 1. Identification

Product Identifier: **2201 CA-FD EPOXY CLEAR RESIN PART-A**

Use: Epoxy Resin. For Industrial/Professional use only.

Manufacturer: Granicrete International, Inc.  
5420 W Bethany Home Rd  
Glendale, AZ 853010

Phone Number: 602-438-9464

Emergency Phone: PERS 800-633-8253  
001-801-629-0667

## 2. Hazards Identification

### GHS Classification:

Skin Irritation – Category 2

Eye Irritation – Category 2A

Skin Sensitizer

Category 1

Hazardous to the Aquatic Environment – Acute Hazard Category 3

Hazardous to the Aquatic Environment – Chronic Hazard Category 2

Label Elements: Warning



### Hazard Phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H402 Harmful to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

### Precautionary Phrases

P261 Avoid breathing mist, vapor, or spray.

P264 Wash hands thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the work area.

P273 Avoid release to the environment.

P280 Wear protective gloves, protective clothing, eye protection, and face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice or attention.

P337+P313 If eye irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash before reuse.

P391 Store locked up.

P501 Dispose of contents and container in accordance with local,

regional and national regulations.

**Supplemental Information:** Read and understand the hazard information on curative before using.

## 3. Composition/Information on Ingredients

| Chemical Name   | CAS #       | %     |
|---|-------------|-------|
| Diglycidyl ether of bisphenol A   | 25068-38-6  | 80-90 |
| Trade Secret Ingredients  | Proprietary | 10-20 |
| Other ingredients are not classified as health, physical or environmental hazards, or are present below cut-off/concentration limits. |             |       |

## 4. First-Aid Measures

**Eye Contact:** Rinse thoroughly with water, holding the eyelids open to be sure the material is washed out. Remove contact lenses if safe and easy to do. Continue rinsing. Get medical attention if irritation persists. **Skin Contact:** Remove contaminated clothing. Wash contact area thoroughly with soap and water. Get medical attention if irritation persists.

**Inhalation:** Remove person to fresh air. Get medical attention if symptoms persist.

**Ingestion:** Do not induce vomiting unless directed to do so by medical personnel. Get medical attention.

**Most Important Symptoms/Effects:** Causes serious eye irritation. May cause an allergic skin reaction.

### Indication of Immediate Medical Attention/Special Treatment:

If product gets in eyes, immediately flush with water.

## 5. Fire-Fighting Measures

**Extinguishing Media:** Use water fog, foam, carbon dioxide or dry chemical. Do not use solid water stream. Solid stream of water into hot product may cause violent steam generation or spread fire.

**Specific Hazards:** Not classified as flammable or combustible. Product will burn under fire conditions. Combustion products include oxides of carbon, phenolics, aldehydes and other toxic organic compounds.

**Special Protective Equipment & Precautions for Fire-Fighters:** Wear positive pressure, self-contained breathing apparatus and full-body protective clothing.

## 6. Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:** Clear unnecessary, unprotected personnel from the area. Wear appropriate protective clothing to prevent eye and skin contact and avoid breathing vapors.

**Methods and Materials for Containment and Cleanup:** Cover with an inert absorbent material and collect into an appropriate container for disposal. Avoid releases to the environment. Dispose of in accordance with applicable local and federal environmental laws and regulations.

## 7. Handling and Storage

**Safe Handling:** Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. Do

not eat, drink, or smoke in the work area. Keep container closed when not in use.

**Safe Storage:** Store indoors at temperatures below 120°F (49°C). Store in original containers. Avoid getting moisture into containers. Keep containers tightly closed.

## 8. Exposure Controls/Personal Protection

**Occupational Exposure Limits:** None established.

**Ventilation:** Use with adequate general or local exhaust ventilation to minimize exposure levels.

**Respiratory Protection:** If needed, an approved respirator with organic vapor cartridges may be used. Respirator selection and use should be based on contaminant type, form, and concentration. For higher exposures or in an emergency, use a supplied-air respirator.

**Skin Protection:** Wear impervious gloves, such as butyl rubber or nitrile rubber.

**Eye Protection:** Wear chemical safety glasses/goggles.

**Other Protective Measures:** Prevent skin contact and contamination of personal clothing. An eye wash facility and washing facility should be available in the work area. Follow applicable regulations and good Industrial Hygiene practice.

## 9. Physical and Chemical Properties

**Appearance:** Liquid, clear

**Odor:** Epoxy

**Odor Threshold:** No data available

**pH:** No data available

**Melting Point:** No data available

**Boiling Point:** No data available

**Flash Point:** >205°F

**Evap. Rate:** No data available

**Upper/Lower Flammability Limits:** No data available

**Vapor Pressure:** No data available

**Vapor Density:** No data available

**Relative Density:** 1.16 @ 20°C

**Solubility:** No data available

**Partition Coefficient: n-octanol/Water:** No data available

**Auto-Ignition Temp:** No data available

**Decomposition Temp:** No data available

**Viscosity:** 11,000-14,000 cps

## 10. Stability and Reactivity

**Reactivity:** Not normally reactive.

**Chemical Stability:** Stable under recommended conditions. After prolonged storage, may crystallize.

**Possibility of Hazardous Reactions:** Masses of ≥1 lb. (0.5 kg) plus aliphatic amine will cause irreversible polymerization with considerable heat build-up. Material will polymerize with sodium hydroxide.

**Conditions to Avoid:** Avoid excessive heat.

**Incompatible Materials:** Avoid contact with strong oxidizing agents, acids, alkalis, amines, mercaptans.

# SAFETY DATA SHEET Page 2

**Hazardous Decomposition Products:** Uncontrolled exothermic reaction of epoxy resin releases carbon monoxide, carbon dioxide, phenolics, and aldehydes.

## 11. Toxicological Information

**Eye Contact:** Causes serious eye irritation.

**Skin Contact:** Causes skin irritation. May cause an allergic skin reaction.

**Inhalation:** Vapors from heated product may cause respiratory irritation.

**Ingestion:** No data available.

**Chronic Health Effects:** May cause an allergic skin reaction.

**Acute Toxicity Values:** Not acutely hazardous.

**Respiratory Sensitization:** Components are not respiratory sensitizers.

**Skin Sensitization:** Components are classified as skin sensitizers.

**Germ Cell Mutagenicity:** Components are not mutagens.

**Carcinogenicity:** Components are not carcinogens.

**Reproductive Toxicity:** Components are not reproductive toxins.

**Specific Target Organ Toxicity:** Not classified based on available data.

## 12. Ecological Information

**Ecotoxicity:** Toxic to aquatic life with long lasting effects. Do not release into waterways.

**Persistence and Degradability:** Not readily biodegradable.

**Bioaccumulative Potential:** Low potential to bioaccumulate in aquatic organisms.

**Mobility in Soil:** No data available.

## 13. Disposal Considerations

Do not dump to ground, sewers, or watercourses. Dispose according to local, state, and federal regulations.

For U.S.: Upon disposal, this product is not a RCRA hazardous waste (per 40 CFR 261).

## 14. Transport Information

**DOT:** Non-bulk packages (<882lb or <119gal) are not regulated for transport.

Bulk packages: UN3082, Environmentally hazardous substance, liquid, n.o.s (epoxy resin), 9, III.

**IATA/IMDG:** UN3082, Environmentally hazardous substance, liquid, n.o.s (epoxy resin), 9, III, MARINE POLLUTANT.

**Emergency Shipping Information:** Call PERS 800-633-8253

## 15. Regulatory Information

**U.S. FEDERAL REGULATIONS:**

**CERCLA 103 Reportable Quantity:** This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements.

**SARA TITLE III**

**Section 311/312:** Acute Health

**Section 313 Toxic Chemicals:** This product contains no chemicals subject to SARA Title III Section 313 Reporting requirements.

**Section 302 Extremely Hazardous Substances (TPQ):** None

**EPA Toxic Substances Control Act (TSCA) Status:** All components in this product are listed on TSCA.

**STATE REGULATIONS:**

**California Proposition 65: WARNING:** This product can expose you to chemicals including Oxirane, 2-chloromethyl which is known to the State of California to cause cancer and/or reproductive harm. [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## 16. Other Information

**Training Advice:** All personnel using/handling this product should be trained in proper chemical handling and the need for and use of engineering controls and protective equipment.

**Recommended Uses and Restrictions:** Intended for Industrial/Professional use only.

**SDS Revision Notes:** GHS Format: October 12, 2021

**Disclaimer:** The information contained herein is considered accurate; however, Granicrete International, Inc. makes no warranty regarding the accuracy of the information. The user must determine the suitability of the product for the intended use and accepts all risk and liability associated with that use.