

SECTION 1: Identification

Product Name: Ten Minute Treatment - Part B

Revision Date: 3/01/2021

Product Code: 8600

Package: 32 oz. / 0.91kg bottle

Product Description: Epoxy Crack Mending Color: Dark Liquid Odor: Mild Aromatic

Intended Use: decorative, restorative

Company - Manufacturer: Granicrete International, Inc.

1130 W. Alameda Drive, Ste 5, Tempe, AZ 85282 USA

Web Address: www.Granicrete.com

Contact General: Domestic ... 1-602-438-9464 International ... 001-602-438-9464

Non-emergency email: safety@granicrete.com

Contact 24-Hour Emergency:

PERS Domestic at 1-800-633-8253

PERS International at 001-801-629-0667

SECTION 2: Hazard(s) Identification

2.1 Classification of the substance or mixture

Signal word: DANGER



Eye Irritant

2A

2.2 Hazard statements

H319 Cause serious eye irritation

2.3 Precautionary statements

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER / doctor.

P331 Do NOT induce vomiting.

P308+P313 IF exposed or concerned: Get medical advice / attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents / container to in accordance with local / regional / national / international regulation.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition and Information on Ingredients

Product-type: The product is a mixture.

Components:

102-60-3	1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol	5-25%
107-21-1	Ethylene glycol	0-10%

Comment on component parts

Proprietary components are trade secret.

For full text of H-statements: see SECTION 16.

SECTION 4: First-Aid Measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation

Ensure supply of fresh air.

Remove the victim into fresh air and keep him calm.

Consult a doctor immediately.

Skin contact

In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion

Consult a doctor immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Nausea, vomiting.

Headache

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

If swallowed or in the event of vomiting, risk of product entering the lungs.

SECTION 5: Fire-Fighting Measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder.
Carbon dioxide.
Foam.

Extinguishing media that must not be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Carbon monoxide (CO)
Nitrogen oxides (NOx).
Not combusted hydrocarbons.

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Wear full protective suit.
Heat causes increase in pressure and risk of bursting - Keep away from the container.
Cool containers at risk with water spray jet.
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment, and emergency procedures

Ensure adequate ventilation.
Use breathing apparatus if exposed to vapors/aerosol.
Use personal protective equipment.
Remove persons to safety.
High risk of slipping due to leakage/spillage of product.
Keep away from all sources of ignition.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.
In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8 and 13

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Avoid spilling or spraying in enclosed areas.

Vacuuming in situ required.
Keep away from open flames, hot surfaces and sources of ignition.
Take precautionary measures against static discharges.
Use explosion-proofed equipment/fittings and non-sparkling tools.
Do not eat, drink, smoke or take drugs at work.
Take off contaminated clothing and wash before reuse.
Contaminated work clothing should not be allowed out of the workplace.
Showers and eye wash stations should be provided.
Clean skin thoroughly after work, apply skin cream.
Use barrier skin cream.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with oxidizing agents.
Keep container tightly closed.
Keep container in a well-ventilated place.
Keep in a cool place. Store in a dry place.
Protect from heat/overheating and from sun.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure Control and Personal Protection



8.1 107-21-1 Ethylene glycol

TLV (USA)	Short-term value: 10** mg/m ³ , 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only
WEEL (USA)	Long-term value: 10 mg/m ³
EL (Canada)	Short-term value: 20** mg/m ³ Long-term value: 10** mg/m ³ Ceiling limit value: 100* mg/m ³ , 50*** ppm *Aerosol; **Particulate; ***Vapor
EV (Canada)	Ceiling limit value: 100 mg/m ³
LMPE (Mexico)	Ceiling limit value: 100* mg/m ³ A4, *solo aerosol

8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.
Using suitable discharges or exhaust ventilation.

Eye protection

Safety glasses

Hand protection

The details concerned are recommendations. Please contact the glove supplier for further information.
0,7mm: Butyl rubber, >480 min

0,7mm: Nitrile rubber, >480 min

0,7mm: Neoprene, >480 min

Skin protection Protective clothing.

Other Avoid contact with eyes and skin.

Do not breathe vapor/spray.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.

Respiratory protection If ventilation is insufficient, wear respiratory protection.

Thermal hazards not applicable

Delimitation and monitoring of the environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	No information available.
Odor	mild aromatic
Odor threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not applicable
Flash point [°C]	94°C / 200°F
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidizing properties	no
Vapor pressure/gas pressure [kPa]	No information available.
Relative Density [g/ml]	1.035
Bulk density [kg/m³]	not applicable
Solubility in water	fully miscible
Partition coefficient [n-octanol/water]	No information available.
Viscosity	No information available.
Relative vapor density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.

9.2 Other information

none

SECTION 10: Stability and Reactivity

10.1 Reactivity

Upon decomposition in closed containers risk of bursting due to buildup of overpressure.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

Reactions with isocyanates.

10.4 Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

Strong heating.

Sunlight

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

In the event of fire: See SECTION 5.

SECTION 11: Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity

LD/LC50 values that are relevant for classification:

107-21-1 Ethylene glycol

Dermal LD50 9530 mg/kg (rabbit)

Primary irritant effect:

On the skin: Based on available data, the classification criteria are not met.

On the eye: Causes eye irritation.

Sensitization: Based on available data, the classification criteria are not met.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

NTP (National Toxicology Program):

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12: Ecological Information

12.1 Toxicity

Aquatic toxicity No relevant information available.

Persistence and degradability No relevant information available.

Bioaccumulative potential: No relevant information available.

Mobility in soil: No relevant information available.

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No relevant information available.

SECTION 13: Disposal Considerations

Waste must be disposed of in accordance with federal, state, and local environmental control regulations. Consult your local or regional authorities.

Product Dispose of as hazardous waste. For recycling, consult manufacturer.

Contaminated packaging Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.

Section 14: Transport Information

· **UN-Number**

DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

UN proper shipping name

DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

Transport hazard class(es)

DOT, ADR/RID/ADN, IMDG, IATA

Class Not regulated.

Packing group

DOT, ADR/RID/ADN, IMDG, IATA Not regulated.

Environmental hazards

Marine pollutant: No

Special precautions for user Not applicable.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

TRANSPORT-REGULATIONS: DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).

NATIONAL REGULATIONS (GHS): GHS Rev.5 (2013)

Observe employment restrictions for people

Observe employment restrictions for young people.

Observe employment restrictions for mothers-to-be and nursing mothers.

VOC (1999/13/CE): No information available.

SARA Title III (USA – Superfund Amendments and Reauthorization Act)

311/312 Hazard categories for delayed health effects
313 Reportable Ingredients: None

CERCLA (USA – Comprehensive Response Compensation and Liability Act)

None

California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986

This product contains trace elements known to the State of California to cause cancer, birth defects, or reproductive harm. Per California law this warning is provided in the absence of definitive testing to prove the defined risks do not exist.

Federal Hazardous Substance Act

Considered a hazardous substance subject to the statutes promulgated under the subject act.

DSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List)

Components of this product identified by CAS number are listed on the DSL

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other Information

Recommended restriction: This product is for use by trained professionals after having read the complete SDS.

Key Legend:

H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H302 Harmful if swallowed.
H351 Suspected of causing cancer.
H411 Toxic to aquatic life with long lasting effects.
H336 May cause drowsiness or dizziness.
H304 May be fatal if swallowed and enters airways.

Abbreviations and acronyms:

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI: Biological Exposure Index

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

CMR: Carcinogenic, Mutagenic or Toxic for Reproduction

FG: Food grade

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

H - statement: Hazard Statement

IATA: International Air Transport Association.

IATA - DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization

ICAO - TI (ICAO): Technical Instructions by the "International Civil Aviation Organization"

IMDG: International Maritime Code for Dangerous Goods

ISO: International Organization for Standardization

logPow: octanol - water partition coefficient
LCxx : Lethal Concentration, for xx percent of test population
LDxx: Lethal Dose, for xx percent of test population.
ICxx: Inhibitory Concentration for xx of a substance
Ecxx: Effective Concentration of xx
N.O.S.: Not Otherwise Specified
OECD: Organization for Economic Co - operation and Development
OEL: Occupational Exposure Limit
P - Statement: Precautionary Statement
PBT: Persistent , Bioaccumulative and Toxic
PPE: Personal Protective Equipment
STEL: Short - term exposure limit
STOT: Specific Target Organ Toxicity
TLV: Threshold Limit Value
TWA: Time - weighted average
vPvB: Very Persistent and Very Bioaccumulative
WEL: Workplace Exposure Level
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act
DOT: Department of Transportation
FIFRA: Federal Insecticide, Fungicide, and Rodenticide Act
HMIRC: Hazardous Materials Information Review Commission
HMIS: Hazardous Materials Identification System
NFPA: National Fire Protection Association
NIOSH: National Institute for Occupational Safety and Health
OSHA: Occupational Safety and Health Administration
PMRA: Health Canada Pest Management Regulatory Agency
RTK: Right to Know
WHMIS: Workplace Hazardous Materials Information System

Other information

Classification procedure

Flam. Liq. 4: H227 Combustible Liquid. (On basis of test data)
Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (Calculation method)
Carc. 2: H351 Suspected of causing cancer. (Calculation method)
STOT SE 3: H336 May cause drowsiness or dizziness. (Calculation method)
Aquatic Chronic 2: H411 Toxic to aquatic life with long lasting effects. (Calculation method)

Modified position none

The information and recommendations contained herein are based upon data believed to be correct at date listed. No guarantee or warranty of any kind, express or implied, is made with respect to the accuracy of the information that has been provided herein. Granicrete International, Inc. accepts no responsibility and disclaims all liability for any harmful effects, which may be caused by exposure to our products. Customers and users of this product must comply with all applicable health and safety laws, regulations, and orders where this product is used.